Referral Forms for TYVASO® and REMODULIN®

1

HOW TO GET STARTED

Tyvaso and Remodulin are available only through select Specialty Pharmacy Services (SPS) providers. Follow these 5 simple steps to complete each section of the following **referral form**.

- **1** Fill out the Patient Information (**A and B**). Let your patient know that an SPS provider will be calling and it is important to answer or return the call.
- 2 Complete and sign the Prescriber Information, Prescription, and Statement of Medical Necessity (**C through E**).
- **3** Complete and sign the Medical Information, Patient Evaluation, and Supporting Documentation (**F through I**).
- 4 Attach the clinical documents outlined on the **fax cover sheet**, including right heart catheterization test results, history and physical, and echocardiogram results.
- 5 Use the **fax cover sheet** included in this PDF to fax the referral form and signed supporting documents to your preferred SPS provider. (Insurance plans vary and may impact the approval process.)

Information regarding the CMS established and expected coverage criteria for treprostinil is included for your review.

MEDICARE COVERAGE CRITERIA FOR PROSTACYCLIN

The current Local Coverage Determination for Prostacyclin is as follows:

The pulmonary hypertension is not secondary to pulmonary venous hypertension (eg, left sided atrial or ventricular disease, left sided valvular heart disease, etc) or disorders of the respiratory system (eg, chronic obstructive pulmonary disease, interstitial lung disease, obstructive sleep apnea or other sleep disordered breathing, alveolar hypoventilation disorders, etc); and

The patient has idiopathic/heritable pulmonary hypertension or pulmonary hypertension which is associated with one of the following conditions: connective tissue disease, thromboembolic disease of the pulmonary arteries, human immunodeficiency virus (HIV) infection, cirrhosis, diet drugs, congenital left to right shunts, etc. If these conditions are present, the following criteria must be met:

- 1. The pulmonary hypertension has progressed despite maximal medical and/or surgical treatment of the identified condition; and
- 2. The mean pulmonary artery pressure is greater than 25 mm Hg at rest or greater than 30 mm Hg with exertion; and
- 3. The patient has significant symptoms from the pulmonary hypertension (ie, severe dyspnea on exertion, and either fatigability, angina, or syncope); and
- 4. Treatment with oral calcium channel blocking agents has been tried and failed, or has been considered and ruled out.

Medicare coverage criteria provided for informational purposes only. Please check with the payer to verify billing requirements. United Therapeutics does not make any representation or guarantees concerning reimbursement or coverage for any service or item.

Remodulin and Tyvaso are registered trademarks of United Therapeutics Corporation.



United Therapeutics Remodulin[®] (treprostinil) or Tyvaso[®] (treprostinil) Referral Form²

Please complete, sign, and fax Steps 1-3, along with requested clinical documentation, to your preferred Specialty Pharmacy using the enclosed Fax Cover Sheet.

STEP 1 - PATIENT INFORMATION

A PATIENT INFORMATION			
Name: First	Middle	Last	
Date of Birth	Gender	Last 4 Digits of SSN	
Home Address			
City	State	Zip	
Shipping Address	(if not home address)		
City	State	Zip	
Telephone	Alternate Telephone	Best Time to Call	
E-mail Address	Cell Phone	Work Phone	
Caregiver/Family Member	Telephone	Alternate Telephone	
B INSURANCE INFORMATION			
Pharmacy Benefits Manager:			
Subscriber ID #	Group #	Telephone #	
Primary Medical Insurance:		Policy Holder/Relationship	
Subscriber ID #	Group #	Telephone #	

Secondary Medical Insurance:

Subscriber ID #

Please include copies of the front and back of the patient's insurance card(s).

Group #

Policy Holder/Relationship

Telephone #

3 United Therapeutics Remodulin[®] (treprostinil) or Tyvaso[®] (treprostinil) Referral Form

Please complete, sign, and fax Steps 1-3, along with requested clinical documentation, to your preferred Specialty Pharmacy using the enclosed Fax Cover Sheet.

Patient Name: _ Date of Birth:

Prescriber: First		
	Last	
NPI #	State License #	
Facility Name		TIN #
Address		
City	State	Zip
Office Contact Name		
Telephone		Fax
E-mail Address	Preferred Method of Communica	tion
PRESCRIPTION INFORMATION		
REMODULIN® (treprostinil) Injection ial concentration: 1 mg/mL (20-mL vial) wantity: Dispense 1 month of drug and supplies infusion Type rescribing practitioner to specify infusion type by posing and Titration Instructions or Remodulin dosing and titration information o specify initial dosing and titration instructions, f itiation dosage: ng/kg/min Titrate by	X refills Patie a checking the box below: Subcutaneous b, please see the Dosage and Administration s fill in the blanks OR use the lines below.	section of the Prescribing Information.
	change every days Per IV sta	bove Indard of care
] Remodulin® Sterile Diluent for Injection 🔲 Flola	n® Sterile Diluent for Injection 🔲 Epoprostenol S	terile Diluent for Injection 🔲 0.9% Sodium Chloride for Injection 🔲 Sterile Water for Injec
umps: 2 CADD-MS® 3 Pumps 2 0	CADD-Legacy® Pumps	
ne Prescriber is to comply with their state specific pro- buld result in outreach to the Prescriber. urse Visits Please select an option: Specialty Pharmacy home healthcar	escription requirements such as e-prescribing, state	Ind titration: Location: Home Outpatient clinic Hospital e specific prescription form, fax language, etc. Non-compliance of state specific requirements on of Remodulin and Tyvaso to include dose, titration, and side effect management
RE OR Prescriber directed Specialty Pharm		
Prescriber directed Specialty Pharm pecify any OTC or Side Effect Management measure	es to be taken:	
Decify any OTC or Side Effect Management measure PRESCRIBER SIGNATURE: PRESCRI	PTION AND STATEMENT OF MEDICAL	
	PTION AND STATEMENT OF MEDICAL I on therapy ordered above is medically necess	NECESSITY
Prescriber directed Specialty Pharm pecify any OTC or Side Effect Management measure PRESCRIBER SIGNATURE: PRESCRI certify that the pulmonary arterial hypertensio	PTION AND STATEMENT OF MEDICAL I on therapy ordered above is medically necess	NECESSITY

Tyvaso® (treprostinil) Inhalation Solution, **Remodulin® (treprostinil) Injection**

United Therapeutics Remodulin[®] (treprostinil) or Tyvaso[®] (treprostinil) Referral Form⁴

Please complete, sign, and fax Steps 1-3, along with requested clinical documentation, to your preferred Specialty Pharmacy using the enclosed Fax Cover Sheet.

Patient Name:_____

Date of Birth:_____

			ORTING DOCUMENTATION
tient UT PAH Product Therapy Status for the r] Naïve/New 🔲 Restart	requested dr		ent Specialty Pharmacy Patient Status Allergies Accredo CVS Caremark Outpatient Inpatient Yes No If yes
HO Group NYHA Functional Class	Ⅲ □ Ι	V We	/eight kg/lb Height Diabetic 🗌 Yes 🗌 No
		1	coverage or reimbursement for specific uses or indications
D-10 I27.0 Primary pulmonary hypertension		-10 I27.2 Other c	chronic pulmonary heart diseases: pulmonary arterial hypertension, secondary Other ICD-10
] Idiopathic PAH 🛛 Heritable PAH		Connective tissu Drugs/Toxins ind	
urrent Signed and Dated Documents Requin] Right Heart Catheterization	-	rostinil Therapy ocardiogram	y Initiation I History and Physical Including: Onset of Symptoms, PAH Clinical Signs and Symptoms Need for Specific Drug Therapy, Course of Illness
] Treatment History (included on this page)	🗌 Tran	sition Statement	
TREATMENT HISTORY AND TRA	NSITION S	TATEMENT	Transition Statement
ease Indicate Treatment History			
Nedication	Current	Discontinued	It is necessary for this patient (if applicable) to transition FROM TO
PDE-5i (specify drugs)	-		Please provide justification for this transition.
poprostenol			
lolan® (epoprostenol sodium) for Injection			
etairis® (ambrisentan) Tablets			
Remodulin® (treprostinil) Injection			
racleer® (bosentan) Tablets			
yvaso® (treprostinil) Inhalation Solution			
/eletri® (epoprostenol) for Injection			
/entavis® (iloprost) Inhalation Solution			
Adempas® (riociguat) Tablets			
Dpsumit® (macitentan) Tablets			
Drenitram® (treprostinil) Extended-Release Tablet	s		
Jptravi® (selexipag) Tablets			
Dther			
CALCIUM CHANNEL BLOCKER S	TATEMEN	т	
– 'lease indicate below if the Patient named ab	ove was tria	ed on a Calcium	n Channel Blocker prior to the initiation of therapy and indicate the results.
A Calcium Channel Blocker was not trialed	because		
Patient has depressed cardiac output		Patient is h	hemodynamically unstable or has a history of postural hypotension
Patient has systemic hypotension			not meet ACCP Guidelines for Vasodilator Response
Patient has known hypersensitivity		Patient has	s documented bradycardia or second- or third-degree heart block
Other:			
The following Calcium Channel Blocker was	s trialed:		
Vith the following response(s): Patient hypersensitive or allergic			
Adverse event			Pulmonary arterial pressure continued to rise Disease continued to progress or patient remained symptomatic
Adverse event Patient became hemodynamically unstable	e		
	-		
PRESCRIBER SIGNATURE			
PRESCRIBER SIGNATURE Prescriber Name:			Prescriber Signature: Date:

Please note: The responsibility to determine coverage and reimbursement parameters, and appropriate coding for particular patient and/or procedure, is the responsibility of the provider. The information provided here is not a guarantee of coverage or reimbursement.

Tyvaso® (treprostinil) Inhalation Solution, Remodulin® (treprostinil) Injection

United Therapeutics Remodulin[®] (treprostinil) or Tyvaso[®] (treprostinil) Referral Form⁵

FAX THE COMPLETED REFERRAL FORM AND DOCUMENTATION TO THE SPECIALTY PHARMACY OF YOUR CHOICE BELOW.

STEP 4

To: (check one)	□ Accredo Fax: 1-800-711-3526 Phone: 1-866-344-4874	
From: (Name of agent	of prescriber who transmitted the facsimil	e/Prescription)
Facility Name:		
Fax:		
Included in this fax:		
Completed U Step 1 - Patie Step 2 - Pres	IT PAH Therapy Referral Fo ent Information criber/Prescription Information ical Information/Patient Evaluation	-
 Completed U Step 1 - Patie Step 2 - Pres Step 3 - Med Included sign 	IT PAH Therapy Referral Fe ent Information criber/Prescription Information	-
 Completed U Step 1 - Patie Step 2 - Pres Step 3 - Med Included sign Right Heart History and 	IT PAH Therapy Referral Fo ent Information criber/Prescription Information ical Information/Patient Evaluation ned and dated documents	on
 Completed U Step 1 - Patie Step 2 - Pres Step 3 - Med Included sign Right Heart History and and Sympto 	IT PAH Therapy Referral Fe ent Information criber/Prescription Information ical Information/Patient Evaluation ned and dated documents t Catheterization Results d Physical (including Onset of Synoms, Course of Illness) pecific Drug Therapy and 6-minu	on mptoms, PAH Clinical Sign