Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form



Fax Referral To: 1-888-280-1191 Phone: 1-888-280-1190 Email Referral To: PAH.faxes@caremark.com

Fax Referral To: 787-759-4161 Phone: 787-759-4162 Address: 280 Avenida Jesus T. Pinero Ste B Rio Piedras, PR 00927

	Six Simple Ste	eps to Submitting a Re	ferral			
PATIENT INFORMATION (Comple	ete or include demograp	hic sheet)				
Patient Name:		DOB:				
		City, State, ZIP Code:				
Gender: Male Female		_	_			
			vided below) Email (to email provided below)			
Note: Carrier charges may apply. If unable Primary Phone:						
	Name (Last First) [.]		lone:			
Relationship to minor:						
		Last Four of SSN:	Primary Language:			
2 PRESCRIBER INFORMATION						
– Prescriber's Name:		State License #:				
Phone: Eax	Cor	ntact Person:	Contact's Phone:			
			in this form, in available (none and back)			
4 DIAGNOSIS AND CLINICAL INF						
Needs by Date:	Ship to: D Patie	ent Office Other:				
<u>Diagnosis (ICD-10):</u>						
Date of Diagnosis:						
I27.0 Primary Pulmonary Hyperter	nsion	🗌 I27.20 Pulmonary H	ypertension, Unspecified			
I27.21 Secondary Pulmonary Arter	ial Hypertension	🗌 I27.24 Chronic Thro	mboemolic Pulmonary Hypertension			
I27.83 Eisenmenger's Syndrome		🗌 I27.89 Other Specifi	ed Pulmonary Disease			
Other Code:	Description					
Patient Clinical Information:						
New York Heart Association (NYHA) F	unctional Classificati	on: 🔲 I 🗍 II 🦳 III 🦳	IV			
6 Minute Walk Distance:						
Is patient currently on another therapy		rtension?				
If Yes, name of drug(s):	, , , , , , ,					
Weight: lb/kg Height:	in/cm Allerai	es:				
			Channel Blocker Statement 🗌 Echocardiogram			
	-					
Nursing: Not Needed Pre-hosp		g in-nospital reaching				
Start of care date: Nu	umber of visits:					
Prostacyclin Referral Information:						
Check the boxes below to designate						
PAH diagnosis and ICD-10 code (des	-					
Is Medicare Part B the primary insuranc	e for this referral?	Yes 🗌 No				
Clinical documentation						
Current H&P (within 6 months); Da						
Right Heart Catheterization (RHC);		-				
Mean PA Pressure (or systolic/o	_		xertion			
Cardiac Output	Cardiac Inde					
Pulmonary Vascular Resistance	🕴 📋 Pulmonary C	apillary Wedge Pressure (c	vr LVEDP) < 15 mmHg			
Calcium Channel Blocker stateme			a second			
-			s out-of-proportion with the secondary disease: Left			
	iung disease, sarcoido	osis and other co-morbiditie	es, except for the ones listed in WHO Group I			
category						

Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form

Tyvaso, Ventavis, Flolan, Epoprostenol (Generic Flolan), Remodulin

	Please Con	nplete Patient and I	Prescriber Information					
Patient Name:								
Prescriber Name: Prescriber Phone:								
5 PRESCRIPTION								
INHALED PRODUC								
	STRENGTH			QUANTITY/REFILLS				
Tyvaso (treprostinil) Inhalation Solution	☐ Tyvaso Inhalation System Starter Kit ☐ Tyvaso Refill Kit	3-4 breaths at 1-2 we	ths (18 mcg) four times daily. Increase by eek intervals, if tolerated, until the target 4 mcg) four times daily.	Quantity: 28-day supply Refills:				
Ventavis (iloprost) Inhalation Solution	NA	Please complete a V CVS Specialty as you	Yentavis enrollment form and indicate ur preferred pharmacy provider. The ed at www.4ventavis.com or by 546.	Quantity: 0 Refills: 0				
INFUSED THERAPIE MEDICATION	<u>=5:</u> STRENGTH		OSE & DIRECTIONS	QUANTITY/REFILLS				
Flolan (epoprostenol) for injection	 0.5 mg vial 1.5 mg vial Sterile diluent for Flolan pH 12 sterile diluent for Flolan 	IV infusion continu Initial dose: every days unti Discharge dose: <u>Pump</u> : 2 CADD-Lega <u>CVC Care</u> :	uous over 24 hours ng/kg/min. Titrate byng/kg/min l goal of ng/kg/min achieved. _ ng/kg/min Concentration: ng/mL	Quantity: One-month supply of drug and supplies. Dosing weight: kg/lb Refills:				
Epoprostenol (Generic Flolan)	0.5 mg vial 1.5 mg vial Epoprostenol diluent	□ IV infusion continuous over 24 hours Initial dose: ng/kg/min. Titrate byng/kg/min every days until goal of ng/kg/min achieved. Discharge dose: ng/kg/min Concentration: ng/mL Pump: 2 CADD-Legacy Pumps <u>CVC Care</u> : □ Dressing change every days. □ Per IV standard of care		Quantity: One-month supply of drug and supplies. Dosing weight: kg/lb Refills:				
Remodulin (treprostinil) for injection	☐ 1 mg/mL, 20 mL vial ☐ 2.5 mg/mL, 20 mL vial ☐ 5 mg/mL, 20 mL vial ☐ 10 mg/mL, 20 mL vial	SC continuous over Initial dose: every days unti Change infusion site of Palliative med PRN Pumps: 2 CADD-MS3 IV infusion continu Initial dose: every days unti Diluent: Check one (S no box is checked) 0.9% NaCl for inje Epoprostenol Ster Pump: 2 CADD-Legacy P CVC Care: Dressing change of						
Patient is interested in patient support programs STAMP SIGNATURE NOT ALLOWED Ancillary supplies and kits provided as needed for administration								
6	PRESCRIBER SIGNATU	IRE REQUIRED (ST	TAMP SIGNATURE NOT ALLOWED					
"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:								
CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" ATTN: New York and Iowa providers, please submit electronic prescription								

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature. ©2022 CVS Specialty and/or one of its affiliates. 75-41534A 03/28/22 Page 2 of 3

Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form Treprostinil (Generic Remodulin), Veletri, Epoprostenol (Generic Veletri)

	Please Com	plete Patient and I	Prescriber Information				
Patient Name:	Patient DOB:						
Prescriber Name:	escriber Name: Prescriber Phone:						
INFUSED THERAPI MEDICATION	<u>ES CONTINUED:</u> STRENGTH		DOSE & DIRECTIONS	QUANTITY/REFILLS			
MEDICATION	STRENGTH		nuous over 24 hours	QOANTIT // REFIELS			
☐ Treprostinil (Generic Remodulin)	☐ 1 mg/mL, 20 mL vial ☐ 2.5 mg/mL, 20 mL vial ☐ 5 mg/mL, 20 mL vial ☐ 10 mg/mL, 20 mL vial	Initial dose: every days un <u>Diluent</u> : Check one (no box is checked) 0.9% NaCl for inj Epoprostenol Ste Treprostinil <u>Pump</u> : 2 CADD-Lege	_ ng/kg/min. Titrate byng/kg/mir til goal of ng/kg/min achieved. Sterile diluent for Treprostinil will be used i fection I Sterile Water for injection erile diluent I Sterile diluent for	Quantity: f One-month supply of drug and supplies. Dosing weight: kg/lb Refills:			
Veletri (epoprostenol) for injection	☐ 0.5 mg vial ☐ 1.5 mg vial	Initial dose: every days un Discharge dose: ng/mL <u>Diluent:</u> Check one (box is checked) [] 0.9% NaCl for inj <u>Pump:</u> 2 CADD-Leg <u>CVC Care</u> :		Quantity: 30-day supply of drug and supplies. Dosing weight: kg/lb Refills:			
Epoprostenol (Generic Veletri)	☐ 0.5 mg vial ☐ 1.5 mg vial	IV infusion contir Initial dose: every days un Discharge dose: ng/mL <u>Diluent:</u> Check one (box is checked) [] 0.9% NaCl for inj <u>Pump:</u> 2 CADD-Leg <u>CVC Care</u> : [] Dressing change	Quantity: 30-day supply of drug and supplies. Dosing weight: kg/lb Refills:				
Patient is interested in pat		SIGNATURE NOT ALLOWED	Ancillary supplies and kits provided as n				
"Dispense As Written" / DAW / May Not Substitut	Brand Medically Necessary / Do Not Subs te	• •	May Substitute / Product Selection Permitted / Substitution Permissible	•]			
Prescriber's Signature:		Date:	Prescriber's Signature:	Date:			
CA, MA, NC & PR: Interch	hange is mandated unless Prescriber writes t	he words " No Substitution "	ATTN: New York and Iowa providers, plea	se submit electronic prescriptio			
hereby authorize CVS Spe for this patient and to atta CONFIDENTIALITY NOTIO named above. If you are r dissemination, distribution	ecialty Pharmacy and/or its affiliate ph toch this Enrollment Form to the PA requ CE: This communication and any attack not the intended recipient, you are here	armacies to complete and s uest as my signature. Inments may contain confide by notified that you have re- ibited. If you have received	porting documentation in the patient's medical record. ubmit prior authorization (PA) requests to payors for the intial and/or privileged information for the use of the de ceived this communication in error and that any review this communication in error, please notify the sender in	e prescribed medication signated recipients , disclosure,			

Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates. ©2022 CVS Specialty and/or one of its affiliates. 75-41534A 03/28/22 Page 3 of 3