Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form



Fax Referral To: 1-877-943-1000 Email Referral To: PAH.Faxes@CVSHealth.com Phone: 1-877-242-2738

Patient Name:	
Patient Name:	
	DOB:
	City, State, ZIP Code:
Gender: Male Female	
	primary # provided below) Text (to cell # provided below) Email (to email provided below)
	contact via text or email, Specialty Pharmacy will attempt to contact by phone. Alternate Phone:
	me (Last, First):
Relationship to minor:	
	 Last Four of SSN: Primary Language:
2 PRESCRIBER INFORMATION	1 Hirlary Early add 5. 5514.
	Chata Liannas Mr.
	State License #:
	Group or Hospital:
Address:	City, State, ZIP Code:
Phone:Fax	Contact Person: Contact's Phone:
3 INSURANCE INFORMATION Please	e fax copy of prescription and insurance cards with this form, if available (front and back)
DIAGNOSIS AND CLINICAL INFO	RMATION .
	Ship to: Patient Office Other:
	Grilp to. 1 attorite 1 office 1 office 1
Diagnosis (ICD-10):	
Date of Diagnosis:	
I27.0 Primary Pulmonary Hypertensic	on I27.20 Pulmonary Hypertension, Unspecified
☐ I27.21 Secondary Pulmonary Arterial	Hypertension 🔲 I27.24 Chronic Thromboemolic Pulmonary Hypertension
☐ I27.83 Eisenmenger's Syndrome	☐ I27.89 Other Specified Pulmonary Disease
Other Code: De	escription
Patient Clinical Information:	
-	ctional Classification: 🔲 I 🔲 II 🔲 III 📗 IV
6 Minute Walk Distance:m	
	or pulmonary hypertension?
If Yes, name of drug(s):	
Maight lh/kg Usight	_in/cm Allergies:
•	
•	Right Heart Catheterization Calcium Channel Blocker Statement Echocardiogram
Attach copies of: History and Physica	Right Heart Catheterization Calcium Channel Blocker Statement Echocardiogram
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital	Right Heart Catheterization Calcium Channel Blocker Statement Echocardiogram /Pre-home Teaching In-hospital Teaching Nursing Follow-up
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num	Right Heart Catheterization Calcium Channel Blocker Statement Echocardiogram /Pre-home Teaching In-hospital Teaching Nursing Follow-up
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num Prostacyclin Referral Information:	Right Heart Catheterization Calcium Channel Blocker Statement Echocardiogram /Pre-home Teaching In-hospital Teaching Nursing Follow-up ber of visits:
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num Prostacyclin Referral Information: Check the boxes below to designate w	Right Heart Catheterization Calcium Channel Blocker Statement Echocardiogram /Pre-home Teaching In-hospital Teaching Nursing Follow-up ber of visits: which items are included in this fax:
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Numl Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for Clinical documentation	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Numl Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Ch	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Ch	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Ch	Right Heart Catheterization
Attach copies of: History and Physical Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Chen Mean PA Pressure (or systolic/diagrams)	Right Heart Catheterization
Attach copies of: History and Physical Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Check Mean PA Pressure (or systolic/diagram) Cardiac Output	Right Heart Catheterization
Attach copies of: History and Physica Nursing: Not Needed Pre-hospital Start of care date: Num Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Check Mean PA Pressure (or systolic/diagram) Cardiac Output Pulmonary Vascular Resistance	Right Heart Catheterization
Attach copies of: History and Physical Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate with PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Child Mean PA Pressure (or systolic/diagram Pulmonary Vascular Resistance Echocardiogram Calcium Channel Blocker statement	Right Heart Catheterization
Attach copies of: History and Physical Nursing: Not Needed Pre-hospital Start of care date: Num! Prostacyclin Referral Information: Check the boxes below to designate w PAH diagnosis and ICD-10 code (design Is Medicare Part B the primary insurance for Clinical documentation Current H&P (within 6 months); Date Right Heart Catheterization (RHC); Check Mean PA Pressure (or systolic/diagram Pulmonary Vascular Resistance Echocardiogram Calcium Channel Blocker statement Patients with the following disease statements.	Right Heart Catheterization

Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form

Tyvaso, Ventavis, Flolan, Epoprostenol (Generic Flolan), Remodulin

Inhalation Solution Ventavis (iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION Columbia Columb	STRENGTH Tyvaso Inhalation tem Starter Kit Tyvaso Refill Kit STRENGTH 0.5 mg vial	Start with 3 breat 3-4 breaths at 1-2 we dose of 9 breaths (54 Other: Please complete a V CVS Specialty as you form may be access calling 1-866-228-35	hs (18 mcg) four times daily. Increase by eek intervals, if tolerated, until the target 4 mcg) four times daily. entavis enrollment form and indicate ar preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	QUANTITY/REFILLS Quantity: 28-day supply Refills: Quantity: 0 Refills: 0
PRESCRIPTION INFO INHALED PRODUCTS: MEDICATION Tyvaso (treprostinil) Inhalation Solution Ventavis (iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION	STRENGTH Tyvaso Inhalation tem Starter Kit Tyvaso Refill Kit STRENGTH 0.5 mg vial	Start with 3 breat 3-4 breaths at 1-2 we dose of 9 breaths (54 Other: Please complete a V CVS Specialty as you form may be access calling 1-866-228-35	hs (18 mcg) four times daily. Increase by eek intervals, if tolerated, until the target 4 mcg) four times daily. entavis enrollment form and indicate ar preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	QUANTITY/REFILLS Quantity: 28-day supply Refills: Quantity: 0 Refills: 0
INHALED PRODUCTS: MEDICATION Tyvaso (treprostinil) Inhalation Solution Ventavis (iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION TO O 1.	STRENGTH Tyvaso Inhalation tem Starter Kit Tyvaso Refill Kit STRENGTH 0.5 mg vial	Start with 3 breat 3-4 breaths at 1-2 we dose of 9 breaths (54 Other: Please complete a V CVS Specialty as you form may be access calling 1-866-228-35	hs (18 mcg) four times daily. Increase by eek intervals, if tolerated, until the target 4 mcg) four times daily. entavis enrollment form and indicate ar preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	Quantity: 28-day supply Refills: Quantity: 0 Refills: 0
MEDICATION Tyvaso (treprostinil) Inhalation Solution Ventavis (iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION	Tyvaso Inhalation tem Starter Kit Tyvaso Refill Kit STRENGTH 0.5 mg vial	Start with 3 breat 3-4 breaths at 1-2 we dose of 9 breaths (54 Other: Please complete a V CVS Specialty as you form may be access calling 1-866-228-35	hs (18 mcg) four times daily. Increase by eek intervals, if tolerated, until the target 4 mcg) four times daily. entavis enrollment form and indicate ar preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	Quantity: 28-day supply Refills: Quantity: 0 Refills: 0
Tyvaso (treprostinil) Inhalation Solution Ventavis (iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION	Tyvaso Inhalation tem Starter Kit Tyvaso Refill Kit STRENGTH 0.5 mg vial	Start with 3 breat 3-4 breaths at 1-2 we dose of 9 breaths (54 Other: Please complete a V CVS Specialty as you form may be access calling 1-866-228-35	hs (18 mcg) four times daily. Increase by eek intervals, if tolerated, until the target 4 mcg) four times daily. entavis enrollment form and indicate ar preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	Quantity: 28-day supply Refills: Quantity: 0 Refills: 0
(treprostinil) Inhalation Solution Ventavis (iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION	tem Starter Kit Tyvaso Refill Kit STRENGTH 0.5 mg vial	3-4 breaths at 1-2 we dose of 9 breaths (54	eek intervals, if tolerated, until the target 4 mcg) four times daily. entavis enrollment form and indicate ar preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	supply Refills: Quantity: 0 Refills: 0
(iloprost) Inhalation Solution INFUSED THERAPIES: MEDICATION	0.5 mg vial	CVS Specialty as you form may be accessed calling 1-866-228-35	ur preferred pharmacy provider. The ed at www.4ventavis.com or by 646.	Refills: 0
MEDICATION Description Description Description	0.5 mg vial		OSE & DIRECTIONS	OUANTITY/BEEU-L-
	0.5 mg vial		OSE & DIRECTIONS	
□ Flolan		□ IV infusion continu		QUANTITY/REFILLS
for injection Flota	Sterile diluent for an pH 12 sterile diluent	Initial dose: every days until Discharge dose: Pump: 2 CADD-Legar CVC Care:	ng/kg/min. Titrate byng/kg/min I goal ofng/kg/min achievedng/kg/min Concentration: ng/mL cy Pumps every days.	Quantity: One-month supply of drug and supplies. Dosing weight:kg/lb Refills:
(Coporio Flolop)	0.5 mg vial 1.5 mg vial Epoprostenol diluent	□ IV infusion continuous over 24 hours Initial dose:ng/kg/min. Titrate byng/kg/min every days until goal ofng/kg/min achieved. Discharge dose:ng/kg/min Concentration:ng/mL Pump: 2 CADD-Legacy Pumps CVC Care: Dressing change every days. □ Per IV standard of care		Quantity: One-month supply of drug and supplies. Dosing weight: kg/lb Refills:
(treprostinil)	1 mg/mL, 20 mL vial 2.5 mg/mL, 20 mL vial 5 mg/mL, 20 mL vial	SC continuous over 24 hours Initial dose: ng/kg/min. Titrate by ng/kg/min every days until goal of ng/kg/min achieved. Change infusion site every days. Palliative med PRN Pumps: 2 CADD-MS3 pumps IV infusion continuous over 24 hours Initial dose: ng/kg/min. Titrate by ng/kg/min every days until goal of ng/kg/min achieved. Diluent: Check one (Sterile diluent for Remodulin will be used if no box is checked) O.9% NaCl for injection		
Patient is interested in patient supp		SIGNATURE NOT ALLOWED	Ancillary supplies and kits provided	as needed for administration
6 PRES	SCRIBER SIGNATU	RE REQUIRED (ST	AMP SIGNATURE NOT ALLOWED))
"Dispense As Written" / Brand Me DAW / May Not Substitute	Medically Necessary / Do Not Subs		May Substitute / Product Selection Permitted / Substitution Permissible	-
Prescriber's Signature:Date:Date:				Date:

Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form

Treprostinil (Generic Remodulin), Veletri, Epoprostenol (Generic Veletri)

atient Name:		nplete Patient and Prescriber Information Patient DOB:					
ratient Name: rescriber Name:		Patient DOB: Prescriber Phone:					
PRESCRIPTION		Trescriber Friorie.					
NFUSED THERAPIES CONTINUED:							
MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS				
☐ Treprostinil (Generic Remodulin)	1 mg/mL, 20 mL vial 2.5 mg/mL, 20 mL vial 5 mg/mL, 20 mL vial 10 mg/mL, 20 mL vial	IV infusion continuous over 24 hours Initial dose: ng/kg/min. Titrate by ng/kg/min every days until goal of ng/kg/min achieved. Diluent: Check one (Sterile diluent for Treprostinil will be used if no box is checked) O.9% NaCl for injection Sterile Water for injection Sterile diluent for Treprostinil Pump: 2 CADD-Legacy Pumps CVC Care: Dressing change every days. Per IV standard of care	Quantity: One-month supply of drug and supplies. Dosing weight: kg/lb Refills:				
☐ Veletri (epoprostenol) for injection	☐ 0.5 mg vial ☐ 1.5 mg vial	IV infusion continuous over 24 hours Initial dose: ng/kg/min. Titrate by ng/kg/min every days until goal of ng/kg/min achieved. Discharge dose: ng/kg/min Concentration: ng/mL Diluent: Check one (0.9% Sodium Chloride will be used if no box is checked) O.9% NaCl for injection Sterile Water for injection Pump: 2 CADD-Legacy Pumps CVC Care: Dressing change every days. Per IV standard of care	Quantity: 30-day supply of drug and supplies. Dosing weight:kg/lb Refills:				
Epoprostenol (Generic Veletri) Patient is interested in pati		□ IV infusion continuous over 24 hours Initial dose: ng/kg/min. Titrate by ng/kg/min every days until goal of ng/kg/min achieved. Discharge dose: ng/kg/min Concentration: ng/mL Diluent: Check one (0.9% Sodium Chloride will be used if no box is checked) □ 0.9% NaCl for injection					
6	PRESCRIBER SIGNATU	RE REQUIRED (STAMP SIGNATURE NOT ALLOWED)					
"Dispense As Written" / E	Brand Medically Necessary / Do Not Sub	stitute / No Substitution / May Substitute / Product Selection Permitted /					
DAW / May Not Substitute Prescriber's Signature:		Substitution Permissible Prescriber's Signature:	Date:				
CA, MA, NC & PR: Interch	nange is mandated unless Prescriber writes t	he words "No Substitution" ATTN: New York and Iowa providers, please	submit electronic prescription				
information provided	above is true and accurate to the best	of my knowledge, with supporting documentation in the patient's medical record. B	y signing above, I				

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments.

Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates. ©2022 CVS Specialty and/or one of its affiliates. 75-41534A 03/28/22 Page 3 of 3